

Applicant : Baldridge, et al.
Appl. No. : N/A
Examiner : N/A
Docket No. : 700145.4003

IN THE CLAIMS:

Please cancel claims 1-25 without prejudice.

Please add the following new claims:

26. (New) A method for reducing biofilm in an aqueous system, comprising the steps of:

providing a mixture containing a surfactant and a yeast fermentation product, and
introducing the mixture to an aqueous system containing biofilm.

27. (New) The method of claim 26, wherein said yeast fermentation product is a product of the fermentation of a yeast selected from the group consisting of *Saccharomyces cerevisiae*, *Kluyveromyces marxianus*, *Kluyveromyces lactis*, *Candida utilis* (Torula yeast), *Zygosaccharomyces*, *Pichia*, and *Hansenula*.

28. (New) The method of claim 26 wherein said mixture comprises nonionic surfactants from one or more of the classes including alkanolamides, amine oxides, block polymers, ethoxylated primary and secondary alcohols, ethoxylated alkylphenols, ethoxylated fatty esters, sorbitan derivatives, glycerol esters, and polymeric surfactants.

29. (New) The method of claim 26, wherein said mixture comprises anionic surfactants from one or more of the classes including ethoxylated amines, ethoxylated amides,

Applicant	:	Baldrige, et al.
Appl. No.	:	N/A
Examiner	:	N/A
Docket No.	:	700145.4003

sulfosuccinates and derivatives, sulfates of ethoxylated alcohols, sulfates of alcohols, and polymeric surfactants.

30. (New) The method of claim 26, wherein said fermentation product is present in said mixture at a concentration of from about 5.0% by weight to about 60.0% by weight, and said mixture is added to the aqueous system to obtain a concentration by weight of the mixture of from about 0.1 part per million to about 25 parts per million.

31. (New) The method of claim 26, wherein said fermentation product is present in said mixture at a concentration of from about 5.0% by weight to about 50.0% by weight, and said mixture is added to the aqueous system to obtain a concentration by weight of the mixture of from about 1 parts per million to about 5 parts per million.

32. (New) The method of claim 26, wherein said aqueous system is a crossflow filtration system.

33. (New) The method of claim 32 wherein said crossflow filtration system is a reverse osmosis system.

Applicant : Baldrige, et al.
Appl. No. : N/A
Examiner : N/A
Docket No. : 700145.4003

34. (New) The method of claim 26, wherein said mixture further comprises micronutrients.

35. (New) The method of claim 34, wherein said micronutrients comprise one or more of the following: diammonium phosphate, ammonium sulfate, magnesium sulfate, zinc sulfate, calcium chloride, vitamins, or amino acids.